

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	204	((content data file) with de\$duplicat\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:04
L2	7	((content data file image) with de\$duplicat\$4) and (stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:06
L3	26	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and (stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:10
L4	28	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and (((stor\$3 with (image file data content)) same ((detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) with (content data image file)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:11
L5	0	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and (((stor\$3 with (image file data content)) same ((detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) with (content data image file))) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:12

L6	115	((content data file image) with de\$duplcat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:15
L7	0	((content data file image) with de\$duplcat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:16
L8	75	((content data file image) with de\$duplcat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper\$1link))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:16
L9	38	((content data file image) with de\$duplcat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((stor\$3 sav\$3 insert\$4) with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper\$1link))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:17
L10	38	((content data file image) with de\$duplcat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad< "20030425" and ((stor\$3 sav\$3 insert\$4) with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper\$1link)) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:17

L11	12	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" and ((stor\$3 sav\$3 insert\$4) with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with (pointer location address url hyper \$1link)) and pointer	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:19
L12	115	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:23
L13	0	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" and (detect\$4 with pointer with (content data file image))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:24
L14	2	((content data file image) with de\$duplicat\$4) (single adj instance adj storage) (intelligent adj compression)) and @ad<"20030425" and ((detect\$4 locat\$4 scan\$4 search\$3 find\$3) with pointer with (content data file image))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:25
L15	8748	(stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:26
L18	699	(stor\$3 with (image file data content) with (detect\$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:26

L19	54	(stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) and (((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:28
L20	85	(stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) and (((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4))) (single adj instance) de\$1duplicat\$4 de\$1dup\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:29
L21	33	(stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address)) and (pointer with original) and (((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4))) (single adj instance) de\$1duplicat\$4 de\$1dup\$3) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:30
L22	33	(stor\$3 with (image file data content) with (detect \$3 determin\$6 locat\$4 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and (pointer with original) and (((reduc \$4 eliminat\$4) with (duplicat\$4 redundant redundac\$4))) (single adj instance) de \$1duplicat\$4 de\$1dup\$3) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:33

L23	6	(stor\$3 with (image file data content) with (detect \$3 determin\$6 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and (pointer with original) and (((reduc\$4 eliminat \$4) with (duplicat\$4 redundant redundac\$4)) (single adj instance) de \$1duplicat\$4 de\$1dup\$3) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:35
L24	1511	(stor\$3 with (image file data content) with (detect \$3 determin\$6 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:40
L25	63	(stor\$3 with (image file data content) with (detect \$3 determin\$6 search\$3 scan\$4) with pointer with (location address) with (image file data content)) and (pointer with (location address) with original) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:41
L26	482261	(stor\$3 with image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:45
L27	450	(stor\$3 with (image pdf)) and ((detect\$4 determin \$6) with contain\$3 with pointer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:46
L28	77	(stor\$3 with (image pdf)) and ((detect\$4 determin \$6) with contain\$3 with pointer with (image pdf))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:46
L29	3	(stor\$3 with (image pdf)) and ((detect\$4 determin \$6) with contain\$3 with pointer with (image pdf)) and (pointer with (location address) with (original))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:47

L30	17	(stor\$3 with (image pdf content document)) and ((detect\$4 determin\$6) with contain\$3 with pointer with (image pdf content document)) and (pointer with (location address) with (original))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 09:50
L31	2	"20040213458"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:06
L33	2	"20040213458" and (media medium)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:07
L34	32231	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:40
L35	1424	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:41
L36	2728	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:41
L37	342	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:42

L38	214	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:42
L39	64	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:44
L40	31	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 \$3 duplicat\$4 redundant redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:44
L41	1	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 ((duplicat\$4 redundant redundancy) with (reduc	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:46

		(\$4 eliminat\$4)))				
L42	0	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:47
L43	4	((determin\$6 detect\$4) with (document file image content data) with (includ \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 compression)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:47
L44	226	((detect\$4 embed\$4) with (mark watermark signature) with (image document pdf content data)) and ((mark watermark signature) with point\$3 with (original) with (image document content data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:53
L45	141	((detect\$4 embed\$4) with (mark watermark signature) with (image document pdf content data)) and ((mark watermark signature) with point\$3 with (original) with (image document content data)) and @ad< "20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:53

L46	37	((detect\$4 embed\$4) with (mark watermark signature) with (image document pdf content data)) and ((mark watermark signature) with point\$3 with (original) with (image document content data)) and @ad<"20030425" and (determin\$6 with copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:54
L47	1	((detect\$4 embed\$4) with (mark watermark signature fingerprint) with (image document pdf content data)) and ((mark watermark signature fingerprint) with point\$3 with (location address) with (original) with (image document content data)) and @ad<"20030425" and (determin\$6 with copy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:58
L48	14	((detect\$4 embed\$4) with (mark watermark signature fingerprint) with (image document pdf content data)) and ((mark watermark signature fingerprint) with point\$3 with (location address) with (original) with (image document content data)) and @ad<"20030425"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 10:58
L49	1	((detect\$4 embed\$4) with (mark watermark signature fingerprint) with (image document pdf content data)) and ((mark watermark signature fingerprint) with point\$3 with (location address) with (original) with (image document content data)) and @ad<"20030425" and "20020176116" and (link\$3 with document with original)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:09
L50	0	"20020176116" and barcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:37

L51	1	"20040213458" and barcode	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:38
L52	0	707/3.cds. and ((determin \$6 detect\$4) with (document file image content data) with (include \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 duplicat\$4 redundant redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:45
L53	17	"707"/.cds. and ((determin \$6 detect\$4) with (document file image content data) with (include \$3 contain\$3 embed\$4) with (barcode pointer code)) and ((pointer code barcode) with (original) with (document file image content data) with (location address)) and @ad< "20030425" and (search\$3 with (document file image content)) and (de\$1duplicat\$4 de\$1dup \$3 duplicat\$4 redundant redundancy)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/07 11:46

11/ 7/ 2008 11:47:03 AM